L Number	Hits	Search Text	DB	Time stamp
1	2		USPAT;	2004/02/04 10:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	6110220 nn and worsion	IBM_TDB USPAT;	2004/02/04 10:36
2	_	6119229.pn. and version	US-PGPUB;	2004/02/04 10.30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	0	(6119229.pn. and version) and modif\$5	USPAT;	2004/02/04 10:36
			US-PGPUB;	
			EPO; JPO;	. •
			DERWENT;	
	_	CA15300	IBM_TDB	2004/02/04 10:38
4	2	6415322.pn.	USPAT; US-PGPUB;	2004/02/04 10:38
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	1	6415322.pn. and version	USPĀT;	2004/02/04 10:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_		CA15300 mm and multildeb 43	IBM_TDB	2004/02/04 10 33
6	1	6415322.pn. and publish\$3	USPAT; US-PGPUB;	2004/02/04 10:39
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
7	1	6415322.pn. and display	USPAT;	2004/02/04 10:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2026		IBM_TDB	2004/02/04 10:42
8	3236	version with publish\$3	USPAT; US-PGPUB;	2004/02/04 10:43
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	20	(version with publish\$3) and "version id"	USPAT;	2004/02/04 10:42
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1,0	016	archive with document	IBM_TDB	2004/02/04 11:02
10	816	archive with document	USPAT; US-PGPUB;	2004/02/04 11:02
			EPO; JPO;	
			DERWENT;	
	:		IBM TDB	
11	360	(archive with document) and version	USPĀT;	2004/02/04 11:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
12	200067	//oughingth document)	IBM TDB	2004/02/04 11:00
12	382267	((archive with document) and version) abd publish\$3	USPAT; US-PGPUB;	2004/02/04 11:02
]		hantigues	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
13	182	((archive with document) and version) and	USPĀT;	2004/02/04 11:02
		publish\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
, ,			IBM_TDB	0004/00/04 == 0=
14	135	1 , , ,	USPAT;	2004/02/04 11:03
		publish\$3) and id	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
L		<u> </u>		L

			·	
15	72	((((archive with document) and version) and publish\$3) and id) and history	USPAT; US-PGPUB;	2004/02/04 11:04
			EPO; JPO; DERWENT; IBM TDB	
16	64	(((((archive with document) and version) and publish\$3) and id) and history) and	USPAT; US-PGPUB;	2004/02/04 11:40
		product	EPO; JPO; DERWENT;	
17	62	((((((archive with document) and version) and publish\$3) and id) and history) and	IBM_TDB USPAT; US-PGPUB;	2004/02/04 11:43
		product) and display	EPO; JPO; DERWENT;	
18	58		IBM_TDB USPAT;	2004/02/04 12:03
		and publish\$3) and id) and history) and product) and display) and value	US-PGPUB; EPO; JPO; DERWENT;	
19	2	5574898.pn.	IBM_TDB USPAT;	2004/02/04 12:03
		•	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
20		5574898.pn. and current\$5	USPAT; US-PGPUB; EPO; JPO;	2004/02/04 12:10
			DERWENT; IBM TDB	
21	1	(5574898.pn. and current\$5) and modif\$5	USPAT; US-PGPUB;	2004/02/04 12:18
			EPO; JPO; DERWENT; IBM TDB	
22	1	((5574898.pn. and current\$5) and modif\$5) and history	USPAT; US-PGPUB;	2004/02/04 12:18
			EPO; JPO; DERWENT;	
-	24744	data with version\$3	IBM_TDB USPAT; US-PGPUB;	2004/02/04 10:16
			EPO; JPO; DERWENT;	
_	0	(data with version\$3) and privilag\$3	IBM_TDB USPAT;	2003/09/22 13:44
			US-PGPUB; EPO; JPO; DERWENT;	
_	1136	(data with version\$3) and privileg\$3	IBM_TDB USPAT;	2003/09/22 13:44
			US-PGPUB; EPO; JPO;	
_	24	//data with warriants) and maintacts)	DERWENT; IBM_TDB USPAT;	2002/00/22 13:45
	24	((data with version\$3) and privileg\$3) and "data product"	US-PGPUB; EPO; JPO;	2003/09/22 13:45
			DERWENT; IBM_TDB	
_	11	<pre>(((data with version\$3) and privileg\$3) and "data product") and "user interface"</pre>	USPAT; US-PGPUB;	2003/09/22 13:47
			EPO; JPO; DERWENT; IBM TDB	
-	10	((((data with version\$3) and privileg\$3) and "data product") and "user interface")	USPAT; US-PGPUB;	2003/09/22 13:51
		and stat\$3	EPO; JPO; DERWENT;	
			IBM TDB	

-	1422	composite with version	USPAT; US-PGPUB;	2003/11/19 12:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(composite with version) and privilag\$5	USPAT;	2003/11/19 12:37
			US-PGPUB; EPO; JPO;	
	ļ		DERWENT;	
			IBM TDB	
_	15	(composite with version) and privileg\$5	USPĀT;	2003/11/19 13:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	243	(multi\$6 near4 privileg\$5)	USPAT;	2003/11/19 13:39
	213	(martiful nears privileges)	US-PGPUB;	2000, 11, 15 10.05
			EPO; JPO;	
			DERWENT;	
	02600	. 1.106 1051	IBM_TDB	2002/11/10 12-20
-	23692	(multi\$6 near4 level\$5)and access	USPAT; US-PGPUB;	2003/11/19 13:39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	105		USPAT;	2003/11/19 13:39
		version\$5	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	100	(((multi\$6 near4 privileg\$5)) and	USPAT;	2003/11/19 13:40
		version\$5) and indica\$5	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	61	((((multi\$6 near4 privileg\$5)) and	USPAT;	2003/11/19 13:40
		version\$5) and indica\$5) and histor\$5	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	61	(((((multi\$6 near4 privileg\$5)) and	IBM_TDB USPAT;	2003/11/20 11:34
	"	version\$5) and indica\$5) and histor\$5) and	US-PGPUB;	2003/11/20 11:34
		ident\$6	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/11/00 11.05
_	"	vesrion and history	USPAT; US-PGPUB;	2003/11/20 11:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/11/00 11 ==
-	20196	version and history	USPAT; US-PGPUB;	2003/11/20 11:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10169	(version and history) and date	USPĀT;	2003/11/20 11:35
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	4232	1 ' '	USPĀT;	2003/11/20 11:36
		composit\$3	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	4165	(((version and history) and date) and	USPAT;	2003/11/20 11:36
		composit\$3) and (file samew stat\$5)	US-PGPUB;	
	1		EPO; JPO;	
	ĺ		DERWENT;	
			IBM TDB	

_	1077	, , , ,	USPAT;	2003/11/20 11:36
ļ		composit\$3) and (file same stat\$5)	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1036	((((version and history) and date) and	USPAT;	2003/11/20 11:36
İ		composit\$3) and (file same stat\$5)) and	US-PGPUB;	
		access	EPO; JPO;	
			DERWENT;	
			IBM TDB	ĺ
_	992	(((((version and history) and date) and	USPAT;	2003/11/20 11:37
		composit\$3) and (file same stat\$5)) and	US-PGPUB;	
	1	access) and value	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	871	((((((version and history) and date) and	USPĀT;	2003/11/20 11:37
	0,1	composit\$3) and (file same stat\$5)) and	US-PGPUB;	
		access) and value) and product\$3	EPO; JPO;	·
		decess, and varue, and productive	DERWENT;	
			IBM TDB	
_	577	((((((version and history) and date) and	USPAT;	2003/11/20 11:38
	377	composit\$3) and (file same stat\$5)) and	US-PGPUB;	2000, 11, 20 12.00
		access) and value) and product\$3) and	EPO; JPO;	
		publish\$5	DERWENT;	1
		publishas	IBM TDB	
	573	//////remains and history and data\ and	USPAT;	2003/11/20 11:38
-	5/3	((((((((version and history) and date) and	US-PGPUB;	2003/11/20 11.38
		composit\$3) and (file same stat\$5)) and	EPO; JPO;	
		access) and value) and product\$3) and	DERWENT;	
		publish\$5) and indic\$6	1	·
	572		IBM_TDB USPAT;	2003/11/20 11:39
-	573	((((((((version and history) and date)		2003/11/20 11:39
		and composit\$3) and (file same stat\$5))	US-PGPUB;	
		and access) and value) and product\$3) and	EPO; JPO;	
		publish\$5) and indic\$6) and (update or	DERWENT;	
		modif\$5 or chang\$3)	IBM_TDB	0002/11/00 11 41
-	570	((((((((((version and history) and date)	USPAT;	2003/11/20 11:41
		and composit\$3) and (file same stat\$5))	US-PGPUB;	
		and access) and value) and product\$3) and	EPO; JPO;	
		publish\$5) and indic\$6) and (update or	DERWENT;	
		modif\$5 or chang\$3)) and identif\$6	IBM_TDB	
-	518	((((((((((version and history) and date)	USPAT;	2003/11/20 11:44
		and composit\$3) and (file same stat\$5))	US-PGPUB;	
		and access) and value) and product\$3) and	EPO; JPO;	
		publish\$5) and indic\$6) and (update or	DERWENT;	
		modif\$5 or chang\$3)) and identif\$6) and	IBM_TDB	
		((first or second)same identif\$5)		0000/11/12
-	107	(((((((((((((version and history) and date)	USPAT;	2003/11/20 11:44
		and composit\$3) and (file same stat\$5))	US-PGPUB;	
		and access) and value) and product\$3) and	EPO; JPO;	
		publish\$5) and indic\$6) and (update or	DERWENT;	
		modif\$5 or chang\$3)) and identif\$6) and	IBM_TDB	
		((first or second)same identif\$5)) and		
		mpeg	l	
-	103	(((((((((((version and history) and	USPAT;	2003/11/20 12:01
1		date) and composit\$3) and (file same	US-PGPUB;	
		stat\$5)) and access) and value) and	EPO; JPO;	
		product\$3) and publish\$5) and indic\$6) and	DERWENT;	
		(update or modif\$5 or chang\$3)) and	IBM_TDB	
		identif\$6) and ((first or second)same		
		identif\$5)) and mpeg) and audio		
-	93	((((((((((((version and history) and	USPAT;	2003/11/20 11:44
		date) and composit\$3) and (file same	US-PGPUB;	
		stat\$5)) and access) and value) and	EPO; JPO;	
		product\$3) and publish\$5) and indic\$6) and	DERWENT;	
		(update or modif\$5 or chang\$3)) and	IBM_TDB	
		identif\$6) and ((first or second)same		
		identif\$5)) and mpeg) and audio) and		
L		multimedia		

-	91	<pre>((((((((((((((((((((((((((((((((((((</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 11:57
-	0	<pre>((((((((((((((((((version and history) and date) and composit\$3) and (file same stat\$5)) and access) and value) and product\$3) and publish\$5) and indic\$6) and (update or modif\$5 or chang\$3)) and identif\$6) and ((first or second) same identif\$5)) and mpeg) and audio) and multimedia) and users) and "state file"</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 11:57
	90		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 12:20
-	45	<pre>((((((((((((((((version and history) and date) and composit\$3) and (file same stat\$5)) and access) and value) and product\$3) and publish\$5) and indic\$6) and (update or modif\$5 or chang\$3)) and identif\$6) and ((first or second)same identif\$5)) and mpeg) and audio) and multimedia) and users) and (file same identif\$5)</pre>	USPAT	2003/11/20 12:00
-	23	1	USPAT	2003/11/20 12:01
-	42	<pre>((((((((((((((((((((((((((((((((((((</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 12:01
-	36	<pre>((((((((((((((((((((((((((((((((((((</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 12:22
-	6191	access same privileg\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/20 12:22
-	1793	(access same privileg\$5) and (file same identif\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/20 12:22

				0000 100 100
-	0	((access same privileg\$5) and (file same	USPAT;	2003/11/20 12:23
1		identif\$5)) and (vesrion with date)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	156	((access same privileg\$5) and (file same	USPAT;	2003/11/20 12:23
	130	identif\$5)) and (version with date)	US-PGPUB;	
		146116114077 4114 (10101011 11111 11111 11111)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	(((access same privileg\$5) and (file same	USPAT;	2003/11/20 12:38
		identif\$5)) and (version with date)) and	US-PGPUB;	
		mpeg	EPO; JPO;	
			DERWENT; IBM TDB	
1_ 1	137	rhoads.as.	USPAT;	2003/11/20 12:38
-	137	1110803.83.	US-PGPUB;	2003/11/20 12:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	rhoads.as. and version\$5	USPAT;	2003/11/20 12:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>	11499	version same ID	IBM_TDB USPAT;	2004/02/02 14:35
-	11433	version same in	US-PGPUB;	2004/02/02 14:55
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2253	(version same ID) and history	USPAT;	2004/02/02 14:35
ł			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1870	((version same ID) and history) and	IBM_TDB USPAT;	2004/02/02 14:36
-	10/0	((Version same ID) and history) and product\$3	US-PGPUB;	2004/02/02 14.50
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1042	1 · · · · · · · · · · · · · · · · · · ·	USPAT;	2004/02/02 14:36
		product\$3) and document	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
<u> </u>	878	((((version same ID) and history) and	USPAT;	2004/02/02 14:36
	0,0	product\$3) and document) and database	US-PGPUB;	=====================================
		<u> </u>	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	832		USPAT;	2004/02/02 14:37
		product\$3) and document) and database) and	US-PGPUB;	
		value	EPO; JPO; DERWENT;	
			IBM TDB	
_	632	(((((version same ID) and history) and	USPAT;	2004/02/02 14:38
	VV2	product\$3) and document) and database) and	US-PGPUB;	
1		value) and publish\$3	EPO; JPO;	
]			DERWENT;	
			IBM_TDB	0004400400
-	616		USPAT;	2004/02/02 14:39
		product\$3) and document) and database) and value) and publish\$3) and (GUI or display)	US-PGPUB; EPO; JPO;	
		varue, and hapitsuss) and (GOI or disbigh)	DERWENT;	
			IBM TDB	
] -	53	(((((((version same ID) and history) and	USPAT;	2004/02/02 14:43
		product\$3) and document) and database) and	US-PGPUB;	
		value) and publish\$3) and (GUI or	EPO; JPO;	
		display)) and "product id"	DERWENT;	
L			IBM_TDB	

-	67	(((((((version same ID) and history) and	USPAT;	2004/02/02 14:43
		product\$3) and document) and database) and	US-PGPUB;	
		value) and publish\$3) and (GUI or	EPO; JPO;	
		display)) and (generat\$5 with history)	DERWENT;	
			IBM TDB	
-	10	((((((((version same ID) and history) and	USPAT;	2004/02/02 15:07
		product\$3) and document) and database) and	US-PGPUB;	
	1	value) and publish\$3) and (GUI or	EPO; JPO;	
	-	display)) and "product id") and (generat\$5	DERWENT;	
	1	with history)	IBM TDB	
_	4		USPĀT;	2004/02/02 14:44
		and product\$3) and document) and database)	US-PGPUB;	
		and value) and publish\$3) and (GUI or	EPO; JPO;	
		display)) and "product id") and (generat\$5	DERWENT;	
		with history)) and 707/\$.ccls.	IBM TDB	
_	1	((((((((version same ID) and history) and	USPĀT;	2004/02/02 15:22
	_	product\$3) and document) and database) and	US-PGPUB;	
		value) and publish\$3) and (GUI or	EPO; JPO;	
		display)) and (generat\$5 with history))	DERWENT;	
		and "version value"	IBM TDB	
_	1	((((((((version same ID) and history)	USPAT;	2004/02/02 15:44
	-	and product\$3) and document) and database)	US-PGPUB;	2004/02/02 15:44
		and value) and publish\$3) and (GUI or	EPO; JPO;	
		display)) and (generat\$5 with history))	DERWENT;	
		and "version value") and history	IBM TDB	
_	1	(((((((((version same ID) and history)	USPAT;	2004/02/02 15:44
	1	and product\$3) and document) and database)	US-PGPUB;	2004/02/02 13:44
İ		and value) and publish\$3) and (GUI or		
		display)) and (generat\$5 with history))	EPO; JPO; DERWENT;	
			,	
		and "version value") and history) and	IBM_TDB	
		publish\$3	HODAM.	2004/00/00 15 44
-	1	(((((((((((version same ID) and history)	USPAT;	2004/02/02 15:44
ļ		and product\$3) and document) and database)	US-PGPUB;	
		and value) and publish\$3) and (GUI or	EPO; JPO;	
		display)) and (generat\$5 with history))	DERWENT;	
		and "version value") and history) and view	IBM_TDB	

Page 7